

1 / 5 EN Revision: 16.08.2004 Replaces the version of: 21.11.2001 Printing date: 21.02.2005 BrazeTec 48/10					
Safety Data Sheet according to EC-Regulation 91/155/EEC					
1. Identification o	f the substance	e/preparat	ion and of the o	company/	undertaking
Identification of the substa	nce or preparat	ion			
BrazeTec 48/10					
Use of the substance/prepa Brazing alloy	aration				
Company/undertaking identification BrazeTec GmbH, Rodenbacher Chaussee 4, D-63457 Hanau-Wolfgang Telephone +49 (6181) 59-03, Fax +49 (6181) 59-5550					
Emergency telephone / Office for advice Advisory office in case of poisoning:					
Tel.: Telephone number of the company in case of emergencies: Tel. +49 (0) 69 305-6420					
	2. Compositio	n/informat	ion on ingredie	ents	
2.1 Chemical name	content %	symbol	R-phrases	CAS	EINECS,
Nickel Copper For complete wording of the R-phras	5 - 10 40 - 50 ses, refer to point 16.		40-43		ELINCS 231-111-4 231-159-6
	3. Ha	zards iden	tification		
 3.1 To people See point 11 and 15. Preparation is classified as hazardous in the sense of directive 1999/45/EC. Limited evidence of a carcinogenic effect. May cause sensitization by skin contact. In the event of contact with the hot product: Burns 3.2 To the environment See point 12. k.D.v. 					
4. First aid measures					
 4.1 Inhalation During processing: Supply person with fresh air. Supply person with fresh air and cor 4.2 Eye contact In the event of contact with the hot p Wash thoroughly for several minutes 4.3 Skin contact In the event of contact with the hot p Wash off with cold water.	sult doctor according roduct: s using copious water roduct:) to symptoms. r. Seek medica	l help if necessary.		

Do not attempt to remove hardened product.

4.4 Ingestion



2/5 EN		
Revision: 16.08.2004	Replaces the version of: 21.11.2001	Printing date: 21.02.2005
BrazeTec 48/10		-

n.a.

4.5 Special resources necessary for first aid

n.g.

5. Fire-fighting measures

5.1 Suitable extinguishing media

Adapt to the nature and extent of fire.

If applicable

Metal fire extinguisher

5.2 Extinguishing media which must not be used for safety reasons

n.g.

5.3 Special exposure hazards arising from the substance or preparation itself,

combustion products, resulting gases In case of fire the following can develop:

Fume Toxic gases Nickel oxides Zinc oxide Copper oxides

5.4 Special protective equipment for fire-fighters

Protective respirator with independent air supply According to size of fire

Full protection, if necessary

5.5 Further information

Dispose of contaminated extinction water according to official regulations.

6. Accidental release measures

Refer to point 13. and for personal protection refer to point 8. **6.1 Personal precautions**

Avoid skin contact.

6 2 Environmental

6.2 Environmental measures

Prevent from entering drainage system.6.3 Methods for cleaning up

Collect mechanically and dispose of according to point 13. Allow the hot product to solidify.

7. Handling and storage

7.1 Handling

Tips for safe handling:

See point 6.1

Suction measures at the workplace or on the processing machines required. Do not inhale dust/fume/mist.

Exposed employees should have regular medical check-ups.

General hygiene measures for the handling of chemicals are applicable.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Wash hands before breaks and at end of work.

Separate storage of protective clothing.

Observe directions on label and instructions for use.

7.2. Storage

Requirements for storage rooms and containers:

Store products only unopened, in original packing. Not to be stored in gangways or stair wells.

Special storage conditions:

See point 10.2 Store in a dry place.



3/5 EN

Revision: 16.08.2004 Replaces the version of: 21.11.2001 Printing date: 21.02.2005 BrazeTec 48/10

8. Exposure controls/personal protection

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the OES, MEL or MAK values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

Chemical name Zinc oxide fume	content %	OES, MEL, MAK, TR	BMGV, BAT	
Nickel oxide		0,5 mg/m3 (Ni)		
Copper	40 - 50	1 mg/m3		
Nickel	5 - 10	0,5 mg/m3		
8.1 Respiratory protection:	Normal	ly not necessary.		
Eilter P.2 EN 142				
8 2 Hand protection:	Recom	mended Protective gloves (FN	374)	
Protective hand cream recommended	Recom		67 -).	
During processing:				
Leather gloves				
8.3 Eye protection:	Normal	ly not necessary.		
During processing:				
Tight fitting protective goggles with side protection	n (EN 166).			
8.4 Skin protection:	Protective working garments (e.g. safety shoes EN 344, long- sleeved protective working garments)			
Additional information on hand protection - No tes	ts have been perfo	prmed.		
Selection made for preparations according to the	best available kno	wledge and information on the in	ngredients.	
Selection of materials derived from glove manufact	cturer's indications			
Final selection of glove material must be made tal	king the breakthrou	ugh times, permeation rates		
and degradation into account.				
Selection of a suitable glove depends not only on	the material but al	so on other quality characteristi	CS	
and varies from manufacturer to manufacturer.	motoriale connet	he coloulated in advance		
In the case of preparations the resistance of glove	through time of the	be calculated in advance		
so it has to be tested before use. The exact bleak	and must be obse	e giove material can be		
requested from the protective give manufacturer				
9. Physical and chemical properties				
Physical state:	Solid			
Colour:	Yellow			
Odour:	Odourle	ess		
Boiling point/range (°C):	n.v.			
Melting point/range (°C):	890 - 9	20		
Flash point (°C):	n.g.			
Flammability (solid/gas):	n.g.			
Autoflammability:	n.g.			
Vapour pressure:	n.g.			
Relative density (g/ml):	8,70 g/o	cm3		
Buik density:	n.g.			
Solubility in water:	n.g.			
10 Stability and reactivity				

10. Stability and reactivity

10.1 Conditions to avoid

See point 7 Stable when handled and stored correctly. Strong heat

10.2 Materials to avoid

See point 7 Avoid contact with strong oxidizing agents. Avoid contact with strong acids. Avoid contact with strong alkalis.

10.3 Hazardous decomposition products

See point 5.3



4/5 EN		
Revision: 16.08.2004 Replaces the version of: 21.11.2001	Printing date: 21.02.2005	
BrazeTec 48/10	· · ··································	
10.4 Additional information		
10.4 Additional information Stabilizers necessary:	k D v	
Stabilizers available:	k.D.v.	
11 Toxic	ological information	
11.1 Acute toxicity and immediate effects		
Ingestion, LD50 rat oral (mg/kg):	n.v.	
Inhalation, LC50 rat inhal.(mg/l/4h):	n.v.	
Skin contact, LD50 rat dermal (mg/kg):	n.v.	
Eye contact:	n.v.	
11.2 Delayed and chronic effects		
Sensitization:	Yes (skin contact), *	
Carcinogenicity:	Carc. Cat. 3, *	
Mutagenicity:	n.g.	
Reproductive toxicity:	n.g.	
Naicosis.	n.g.	
11.3. Further information		
Classification according to calculation procedure.		
The following may occur:		
Hazardous gasses are set free when processing product * Nickel		
12. Eco	logical information	
Water hazard class (Germany):	Not hazardous to water.	
Self classification:	No	
Persistence and degradability: Behaviour in sewage plants:	n.v.	
Aquatic toxicity:	n.v.	
Ecological toxicity:	n.v.	
13. Disp	osal considerations	
13.1. for the material / preparation / residue		
EC disposal code no.:		
The waste codes are recommendations based on the scheduled use of this product.		
Owing to the user's specific conditions for use and disposal, other waste codes may be		
allocated under certain circumstances. 12.01.04 non-ferrous metal dust and particles		
17 04 07 mixed metals		
Pay attention to local and national official regulations		
E.g. dispose at suitable refuse site.		
Implement substance recycling.		
13.2 for contaminated packing material		
See point 13.1		
14. Transport information		
Company detectors and a		
General statements		
	n.a.	
Classification code:	II.d. n a	
LQ:	n.a.	
Transport by sea		
IMDG-code:	n.a. (class/packing-group)	
Marine Pollutant:	n.a.	



5 / 5 EN Revision: 16.08.2004 Replaces the version of: 21.11.2001 BrazeTec 48/10	Printing date: 21.02.2005
Transport by air IATA: Additional information: Non-dangerous material according to Transport Regulation	n.a. (class/secondary danger/packing-group) s.
15. Reg	ulatory information
Classification according to Dangerous Prod (67/548/EEC and 1999/45/EC) Symbols: Indications of danger: R-phrases:	Not applicable
S-phrases:	
Additions: n.a. Observe restrictions:	n.a.
16. O	ther information
These details refer to the product as it is delivered. Storage class VCI (Germany): Revised points: BGV D1 (VBG 15) The following phrases represent the prescribed R-phrases 40 Limited evidence of a carcinogenic effect. 43 May cause sensitization by skin contact.	11/13 8 for the ingredients (designated in point 2).
	Legend:
 n.a. = not applicable / n.v., k.D.v. = not available / n.g. = not MEL = Maximum exposure limit / BMGV = Biological monit (Germany) (Germany) / TRK = Technical guidance concentration (Ger VbF = Regulations for flammable liquids (Austria) WGK = water hazard class (Germany) - WGK 3 = very haz VOC = Volatile organic compounds / AOX = Adsorbable or VwVwS = Administrative Order relating to substances haza The statements made here should describe the product wit not meant to guarantee definite characteristics - but they ar No responsibility. These statements were made by: Chemical Check GmbH, Beim Staumberge 3 243 642, Fax: 05233-941790 © by Chemical Check GmbH Gefahrstoffberatung. The cop is forbidden except with consent of the Chemical Check Grief of the Chemical Check Grie	t checked / OES = Occupational exposure standard oring guidance value / MAK = Maximum concentration for work place many) / BAT = Biological tolerance for work place (Germany) ardous, WGK 2 = hazardous, WGK 1 = slightly hazardous to water ganic halogen compounds irdous to water (Germany) h regard to the necessary safety precautions - they are e based on our present up-to-date knowledge. 3, D-32839 Steinheim, Tel.: 01805-CHEMICAL / 01805- nying or changing of this document nbH Gefahrstoffberatung.