INVERTER PLASMA



	POWER PLASMA 3100	SOUND PC 6060/T		SOUND PC 9060/T
ART.	296	355		356
4	115/230V 50/60 Hz			
3		208-220-230V 50/60 Hz	400-440V 50/60 Hz	400V 50/60 Hz
P	3,2 KW 35%	6,9 KW		9,5 KW
Pı	4,2 KVA 35%	8,0 KVA 30%	7,6 KVA 60%	12,5 KVA 60% 11,5 KVA 100%
12 🕏	5 ÷ 25A	20 ÷ 60A		15 ÷ 90A
X%	25A 35%	60A 30% 50A 60% 40A 100%	60A 60% 50A 100%	90 A 60% 82 A 100%
	ELECTRONIC	ELECTRONIC		ELECTRONIC
₩.	6 - 10 (12)mm 1/4" - 3/8" (1/2")	15 - 22 (28) mm 5/8" -7/8" (1"-1/8")		22 -30 (35)mm 7/8"-1"1/4" (1"1/2")
(4)	4 mt (13 ft)	6 mt (18 ft)		6 mt (18 ft)
(bar	60 lt/min. 3,5 bar	150 lt/min. 4,7 bar		160 lt/min. 4,7 bar
IP	23 C	23 C		23
S	•	•		•
iii	13 Kg	26 Kg		31,2 Kg
→ 1	150 x 357 x 382	286 x 515 x 406		297 x 504 x 558







